



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

77 WEST JACKSON BOULEVARD  
CHICAGO, IL 60604-3590

3979

FERNALD

LOG C-0268

2001 NOV 15 P 12:42

REPLY TO THE ATTENTION OF:

FILE:

LIER.SRF-5J

NOV 14 2001

Mr. Johnny Reising  
United States Department of Energy  
Feed Materials Production Center  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705

RE: Category 3 Alternative  
Placement in OSDF

Dear Mr. Reising:

The United States Environmental Protection Agency (U.S. EPA) has completed its review of the United States Department of Energy's (U.S. DOE) October 31, 2001, change pages presenting alternative placement requirements for Category 3 material for "impacted materials placement plan, On-Site Disposal Facility (OSDF)."

The change pages present alternative placement requirements for Category 3 material (transite panels) and are to be incorporated into the impacted materials placement plan for the OSDF.

U.S. EPA found the change pages technically adequate. Therefore, U.S. EPA approves the change pages to the OSDF impacted materials placement plan.

Please contact me at (312) 886-0992 if you have any questions regarding this matter.

Sincerely,

James A. Saric  
Remedial Project Manager  
Federal Facilities Section  
SFD Remedial Response Branch #2

cc: Tom Schneider, OEPA-SWDO  
Kim Chaney, U.S. DOE-HQ  
John Bradburne, Fluor Fernald  
Terry Hagen, Fluor Fernald  
Tim Poff, Fluor Fernald